SUBJECT INDEX

Additive partial field gradient model 96
Antimony trichloride adducts, secondary bonding in 47
Asymmetry parameter of electric field gradient 13, 34

Bismuth trichloride
  aspects of bonding 48—50
  structural aspects 39—41
π-bonding in
  $Al_2Br_7^-$ 144
  $BHal_3$ 118
  $BHal_3 \cdot Me_3N$ 118
  cations *trans*-$[M(en)_2Cl_2]^+$(M = Co, Rh) 97
  $Cu_2hal_2(PPh_3)_2$ 160
  $MoCl_5$ 155
  $NaHal_4$ 154
  $NbCl_5$ 135—136
  $NbCl_5 \cdot POCl_3$ 135—136
  $ReCl_5$ 155
  $TaHal_5$ 154
  tetrahedral R_2NiHal_2 complexes 77
  $TiCl_4 \cdot nL$ 129—130
  WCl_5 155

Charge transfer amount in
  $GaCl_3 \cdot L$ 107
  $SbCl_3 \cdot L$ 122
  $SbCl_5 \cdot L$ 107
cis-trans-Isomerism in
  $HfCl_4 \cdot 2MeCN$ 131
  $MoCl_4 \cdot 2MeCN$ 131
  PtI_2L_2 207
cis-trans-Isomerism in
  $SnCl_4 \cdot 2L$ 111—113
  $TiCl_4 \cdot 2L$ 128, 130
  $ZrCl_4 \cdot 2MeCN$ 131
^{35}Cl NQR frequencies vs heats of formation for
  $GaCl_3 \cdot L$ 103
  $SbCl_5 \cdot L$ 107
  $SnCl_4 \cdot 2L$ 113
Compounds in glassy and crystalline state
  As_2S_3 198
  As_2Se_3 198
  $P_2O_3Cl_4$ 198—199
Continuous wave techniques 22—24
Cotton and Harris model 35
Crystallographic inequivalence 37, 63

Double resonance techniques 27
Dual functions of $TeCl_4$ 124—128

Effective charges on the atoms in
  $GaCl_3 \cdot L$ 107
  Ga_2Br_6 147
  Ga_2Cl_6 147
  KAl_2Br_7 144
  $(Me_4N)_2Ga_2Br_6$ 147
  $(Me_4N)_2Ga_2Cl_6$ 147
  $NaGaCl_4$ 107
  RAl_2Br_7 143
  $RSbCl_6$ 107
  $SbCl_5 \cdot L$ 107
Effective charges on the atoms of V-shaped cations

SUBJECT INDEX

Additive partial field gradient model 96
Antimony trichloride adducts, secondary bonding in 47
Asymmetry parameter of electric field gradient 13, 34

Bismuth trichloride
  aspects of bonding 48—50
  structural aspects 39—41
π-bonding in
  $Al_2Br_7^-$ 144
  $BHal_3$ 118
  $BHal_3 \cdot Me_3N$ 118
  cations *trans*-$[M(en)_2Cl_2]^+$(M = Co, Rh) 97
  $Cu_2hal_2(PPh_3)_2$ 160
  $MoCl_5$ 155
  $NaHal_4$ 154
  $NbCl_5$ 135—136
  $NbCl_5 \cdot POCl_3$ 135—136
  $ReCl_5$ 155
  $TaHal_5$ 154
  tetrahedral R_2NiHal_2 complexes 77
  $TiCl_4 \cdot nL$ 129—130
  WCl_5 155

Charge transfer amount in
  $GaCl_3 \cdot L$ 107
  $SbCl_3 \cdot L$ 122
  $SbCl_5 \cdot L$ 107
cis-trans-Isomerism in
  $HfCl_4 \cdot 2MeCN$ 131
  $MoCl_4 \cdot 2MeCN$ 131
  PtI_2L_2 207
cis-trans-Isomerism in
  $SnCl_4 \cdot 2L$ 111—113
  $TiCl_4 \cdot 2L$ 128, 130
  $ZrCl_4 \cdot 2MeCN$ 131
^{35}Cl NQR frequencies vs heats of formation for
  $GaCl_3 \cdot L$ 103
  $SbCl_5 \cdot L$ 107
  $SnCl_4 \cdot 2L$ 113
Compounds in glassy and crystalline state
  As_2S_3 198
  As_2Se_3 198
  $P_2O_3Cl_4$ 198—199
Continuous wave techniques 22—24
Cotton and Harris model 35
Crystallographic inequivalence 37, 63

Double resonance techniques 27
Dual functions of $TeCl_4$ 124—128

Effective charges on the atoms in
  $GaCl_3 \cdot L$ 107
  Ga_2Br_6 147
  Ga_2Cl_6 147
  KAl_2Br_7 144
  $(Me_4N)_2Ga_2Br_6$ 147
  $(Me_4N)_2Ga_2Cl_6$ 147
  $NaGaCl_4$ 107
  RAl_2Br_7 143
  $RSbCl_6$ 107
  $SbCl_5 \cdot L$ 107
Effective charges on the atoms of V-shaped cations

($SbBr_2^+$, ICl_2^+, I_2Cl^+, I_3^+) in ionic complexes 90
EFG-contributions at
Ag_3SbS_3 173
^{75}As in Ag_3AsS_3 173
^{209}Bi in BiOhal 182—184
^{81}Br in $CdBr_2$ 178—181
^{35}Cl in $CsGeCl_3$ 190
$CsPbCl_3$ 190
$CuSbS_2$ 173
^{127}I in CdI_2 178—181
^{127}I in $NaIO_4$ 99—100
^{93}Nb in alloys Nb_3M 209
^{185}Re in $KReO_4$ 99—100
Sb in Ag_3SbS_4 173
^{121}Sb in Menshukin complexes 121
Electric field gradient, EFG 10, 28, 29
Electroacoustic echo 210—211

Ferro- and antiferroelectric properties of
Ag_3AsS_3 192
Ag_3SbS_3 192
$BiVO_4$ 189
$CsGeCl_3$ 190
$CsPbCl_3$ 190
$KNbO_3$ 189—190
$LiNbO_3$ 189—190
$LiTaO_3$ 189—190
$NaNbO_3$ 189—190
$SbNbO_4$ 189
$SbTaO_4$ 189
Sb_2S_3 192
Ferroelastic properties of
$LaNbO_4$ 189
$LuNbO_4$ 189
α-Sb_3O_7I 184
Field-frequency method 18—19

Hexachlorometallates(IV), ion-ion repulsions in 54—58
Hexachlorometallates(V), spectral splittings in 63—64

Innersphere conversions in
cis-$Pt(etNH_2)_2I_2$ 206
cis-$Pt(meNH_2)_2I_2$ 206

Ligand donating power in
$GaCl_3 \cdot L$ 106
$SbCl_5 \cdot L$ 109
$SnCl_4 \cdot 2L$ 111

Marino and Toyama method 21
Mercury iodide adducts, secondary bonding in 47

^{93}Nb QCC in alloys
Nb_3Al 208
Nb_3Ga 208
Nb_3Ge 208
Nb_3Ir 208
Nb_3Os 208
Nb_3Pt 208
Nb_3Sn 208
NQR in the systems
$CdSb + ZnSb$ 201
$Na_2S + Sb_2S_3$ 200—201
$Sb_2S_3 + Bi_2S_3$ 194—195
NQR spectra of
$Ag_5{}^{121,123}SbS_4$ 172
$^{27}Al^{81}Br_3$ 119, 139—140
$Al^{81}Br_3 \cdot L$ 119
$Al^{127}I_3$ 139
$^{75}As_2S_3$ 170, 196
$^{75}As_2Se_3$ 170, 196
$^{75}As_2Te_3$ 170
$Au^{35}Cl_3$ 139
$B^{81}Br_3$ 116
$B^{81}Br_3 \cdot Me_3N$ 116
$B^{35}Cl_3$ 116
$B^{35}Cl_3 \cdot Me_3N$ 116
$B^{127}I_3$ 116
$B^{127}I_3 \cdot Me_3N$ 116
$Ba^{81}Br_2 \cdot 2H_2O$ 177
$^{137}Ba^{81}Br_2 \cdot 2H_2O$ 177
$^{137}BaCl_2 \cdot 2H_2O$ 177
$Ba^{127}I_2 \cdot 2H_2O$ 177
$BiCl_3$ 40
$^{209}Bi^{35}Cl_3$ 124
$^{209}Bi^{35}Cl_3 \cdot L$ 124
$^{209}Bi^{35}Cl_3 \cdot 2L$ 124
$Bi^{127}I_3$ 179
$^{209}BiNbO_4$ 187
$^{209}BiOhal$ 183
$^{209}BiTaO$ 187

NQR spectra of

$^{209}BiVO_4$ 187
$^{209}Bi_2Mo_3O_{12}$ 190
$^{209}Bi_2S_3$ 170, 196
$^{209}Bi_2WO_6$ 190
$^{209}Bi_3O_4Br$ 183
$^{209}Bi_3O_4Cl$ 183
$^{209}Bi_4Ge_3O_{12}$ 190
$^{209}Bi_4Ti_3O_{12}$ 190
$^{209}Bi_{12}GeO_{20}$ 190
$^{209}Bi_{12}SiO_{20}$ 190
$Ca^{81}Br_2$ 177
$Ca^{81}Br_2 \cdot 2H_2O$ 177
$Ca^{127}I_2 \cdot 6H_2O$ 177
$Cd^{81}Br_2$ 177
$Cd^{127}I_2$ 177
$Cd^{121,123}Sb$ 201
$Co^{35}Cl_2$ 177
$Co^{35}Cl_2 \cdot 2H_2O$ 177
$Co^{35}Cl_2 \cdot 6H_2O$ 177
$Cr^{81}Br_3$ 179
$Cr^{35}Cl_2$ 177
$Cr^{35}Cl_3$ 179
$CrO_2{}^{35}Cl_2$ 166
$Cs^{69}Ga_2{}^{127}I_7$ 142
$Cs^{121,123}Sb_2{}^{35}Cl_9$ 145
$Cs_2{}^{121,123}Sb_2{}^{81}Br_9$ 145
$Cs_2{}^{121,123}Sb_2{}^{127}I_9$ 145
$Cu^{81}Br_2$ 167
$Cu^{35}Cl_2$ 167
$^{63}Cu_2{}^{81}Br_2(PPh_3)_3$ 157, 159
$^{63}Cu_2Cl_2(PPh_3)_3$ 159
$^{63}Cu_2{}^{127}I_2(PPh_3)_3$ 157, 159
$(Et_4N)_2{}^{69}Ga_2{}^{81}Br_6$ 146
$(Et_4N)_2{}^{69}Ga_2{}^{35}Cl_6$ 146
$Fe^{35}Cl_2$ 177
$Fe^{35}Cl_3$ 179
$^{69}Ga^{81}Br_3$ 139—140
$GaCl_3$ 20
$^{69}Ga^{35}Cl_3$ 139—140
$^{69}Ga^{127}I_3$ 139—140
$GeCl_4$ 20
$Hf^{81}Br_4$ 166
$Hf^{35}Cl_4$ 166
$Hf^{35}Cl_4 \cdot 2MeCN$ 131
$HfCl_4 \cdot nPO^{35}Cl_3$ 131

NQR spectra of

$Hf^{127}I_4$ 166
$Hg^{81}Br_2$ 167
$HgCl_2$ 20
$Hg^{35}Cl_2$ 167
$Hg^{127}I_2$ 167
$^{127}I^{35}Cl_3$ 139—140
$^{115}In^{127}I_3$ 139—140
ionic compounds with V-shaped cations ($SbBr_2^+$, SbI_2^+, α-I_3^+, I_2Cl^+, ClF_2^+, BrF_2^+) 88—89, 93
ionic tetrafluorohalide(V)fluoroantimonates(V) 93
ionic trichlorosulphonium(IV)chlorometallates (^{35}Cl) 83—84
$KHg^{127}I_3 \cdot H_2O$ 167
$K^{93}NbO_3$ 190
$^{139}La^{93}NbO_4$ 187
$Li^{93}NbO_3$ 190
$^{175}LuNbO_4$ 187
$(Me_4N)_2{}^{69}Ga_2{}^{81}Br_6$ 146
$(Me_4N)_2{}^{69}Ga_2{}^{35}Cl_6$ 146
$(Me_4N)_3Bi_2{}^{81}Br_9$ 145
$(Me_4N)_3Bi_2{}^{35}Cl_9$ 145
$(MeNH_3)_3Bi_2{}^{81}Br_9$ 145
$(MeNH_3)_3{}^{209}Bi_2{}^{35}Cl_9$ 145
$(MeNH_3)_3Sb_2{}^{81}Br_9$ 145
$Me_4NHg^{127}I_3$ 167
$Mo^{35}Cl_4 \cdot 2MeCN$ 131
$Mo^{35}Cl_5$ 148
$MoO^{35}Cl_4$ 157
$MoO_2{}^{35}Cl_2$ 166
$Na^{93}NbO_3$ 190
$^{93}Nb^{81}Br_5$ 148—149
$^{93}Nb^{35}Cl_5$ 148—149
$^{93}Nb^{35}Cl_5 \cdot L$ 134—135
$Nb^{127}I_5$ 149
$NbO^{81}Br_2$ 157
$^{93}NbO^{35}Cl_3$ 157, 159
$^{93}Nb_2{}^{81}Br_6(SC_4H_8)_2$ 158, 159
$^{93}Nb_2{}^{35}Cl_6(SC_4H_8)_2$ 158, 159
$^{93}Nb_2{}^{127}I_6(SC_4H_8)_2$ 158, 159
$Nd^{81}Br_3$ 179
octahedral complexes of $^{59}Co(III)$ 95
$Pb^{81}Br_2$ 167, 177

NQR spectra of

$Pb^{127}I_2$ 177
α-$Pd^{35}Cl_2$ 166
β-$Pd^{35}Cl_2$ 166
periodates $A^{127}IO_4$ 99
perrhenates $A^{185}ReO_4$ 99
β-$Pt^{35}Cl_2$ 166
$RAl_3{}^{81}Br_7$ 141—142
$R^{69}Ga_2{}^{81}Br_7$ 142
$R^{69}Ga_2{}^{35}Cl_7$ 142
$RH_2{}^{75}AsO_4$ 100
$R^{121,123}SbS_2$ 172
$R^{121,123}SbSe_2$ 172
$R_2H^{75}AsO_4$ 100
$R_2{}^{209}BiS_2$ 172
$R_2{}^{121,123}SbS_3$ 172
$Re^{35}Cl_5$ 149
$Ru^{35}Cl_3$ 179
$^{121,123}Sb^{35}Cl_5$ 139—140
$^{121,123}SbF_3$ 162
$^{121,123}mSbF_3 \cdot n$M'hal 162
$^{121,123}SbNbO_4$ 187
$^{121,123}SbPO_4$ 187
$^{121,123}SbTaO_4$ 187
^{121,123}α-Sb_2O_4 187
^{121,123}β-Sb_2O_4 187
$^{121,123}Sb_2S_3$ 170, 190
$^{121,123}Sb_2Se_3$ 170, 196
$^{121,123}Sb_4O_5Cl_2$ 183
^{121,123}α-$Sb_2O_7{}^{127}I$ 183
$Sc^{127}I_3$ 179
$Sn^{81}Br_2$ 167
$Sn^{35}Cl_2$ 167
$SnCl_2$ 168
$Sn^{35}Cl_4 \cdot 2L$ 110
square-planar $(Bu_3{}^nP)_2Ni^{79}Br_2$ 77
square-planar $(Bu_3{}^nP)_2Ni^{35}Cl_2$ 77
square-planar $(Pr_3{}^nP)_2Ni^{79}Br_2$ 77
square-planar $(Pr_3{}^nP)_2Ni^{35}Cl_2$ 77
$Sr^{81}Br_2 \cdot 2H_2O$ 177
$Sr^{127}I_2 \cdot 6H_2O$ 177
$^{181}Ta^{81}Br_5$ 148, 150
$TaCl_5$ 147, 151
$^{181}Ta^{35}Cl_5$ 148, 149
$^{181}Ta^{35}Cl_5 \cdot L$ 132—133
$^{181}Ta^{127}I_5$ 149, 150

NQR spectra of

$Ta_2{}^{81}Br_6(Sc_4H_8)_3$ 158
$Ta_2{}^{35}Cl_6(SC_4H_8)_3$ 158
$Te^{81}Br_4 \cdot AlBr_3$ 126
$Te^{81}Br_4$ 126
$Te^{35}Cl_4$ 126
$Te^{35}Cl_4 \cdot AlCl_3$ 126
$Te^{35}Cl_4 \cdot 2(CH_3)_2SO$ 126
$Te^{35}Cl_4 \cdot (C_3H_7)_2S$ 126
$Te^{35}Cl_4 \cdot PO^{35}Cl_3$ 126
tetrabromocadmiates(II) 79
tetrachloroiodates(III) 69
tetrahaloaluminates(III) 69
tetrahaloaurates(III) 69
tetrahalogallates(III) 69
tetrahalomercurates(II) 79
tetrahalopalladates(II) 69
tetrahaloplatinates(II) 69
tetrahalozincates(II) 78—79
tetrahedral $(Ph_3P)_2Ni^{79}Br_2$ 77
tetrahedral $(Ph_3P)_2Ni^{35}Cl_2$ 77
tetrahedral $(Ph_3P)_2Ni^{127}I_2$ 77
tetraiodothallates(III) 69
$Ti^{81}Br_3$ 179
$Ti^{35}Cl_2$ 177
$Ti^{35}Cl_3$ 179
$Ti^{35}Cl_4$ 128
$Ti^{35}Cl_4 \cdot L$ 128
$Ti^{35}Cl_4 \cdot 2L$ 128
transition metal hexahalides(IV) 59
$U^{35}Cl_3$ 179
$U^{127}I_3$ 179
$V^{35}Cl_3$ 179
$W^{35}Cl_5$ 148
$WO^{35}Cl_3$ 157, 166
$WO^{35}Cl_4$ 166
$Y^{35}Cl_3$ 179
$Yb^{93}NbO_4$ 187
$Zn^{81}Br_2$ 167
$Zn^{35}Cl_2$ 167
$Zn^{127}I_2$ 167
$Zn^{121,123}Sb$ 201
$Zr^{81}Br_4$ 166
$Zr^{35}Cl_4$ 166
$Zr^{35}Cl_4 \cdot 2MeCN$ 131
$ZrCl_4 \cdot nPO^{35}Cl_3$ 131

NQR spectra of
$Zr^{127}I_4$ 166
Nuclear quadrupole moment 10
Nuclear quadrupole resonance spectra of
hexachloroantimonates(V) 63
hexachlorometallates(IV) 63
hexachlorometallates(V) 63
hexahalobismuthates(V) 63
hexahalometallates(III) 64

Phase transitions in
$AgAsS_2$ 192
Ag_3AsS_3 192
Ag_3SbS_3 192
Cs_2CdBr_4 81
Cs_2HgBr_4 81
K_2ZnCl_4 81
$(NH_4)_2ZnCl_4$ 81
Rb_2ZnCl_4 81
$TlAsSe_2$ 192
Piezoelectric properties of
Ag_3AsS_3 192
Ag_3SbS_3 192
$Bi_4Ti_3O_{12}$ 191
$Bi_{12}GeO_{20}$ 191
$Bi_{12}SiO_{20}$ 191
Polymorphic transitions in
As_2S_3 202—203
As_2S_3 203—204
cis-$Pt(meNH_2)_2I_2$ 205—206
Pulsed line narrowing 25—26

Quadrupole coupling constant, QCC 13, 31

Secondary bonding in
ionic compounds with V-shaped cations 90—92
ionic trichlorosulphonium(IV) chlorometallates 87
Solid-state effect in
octahedral complexes of Co(III) 96—97
tetrahalozincates(II) 82
Spin-echo or pulse technique 24—25
Spin-echo Zeeman experiments 21
Spin-lattice relaxation time T_1 25
Spin-spin relaxation time T_2 25
Sternheimer antishielding 55
in $K^{185}ReO_4$ 99
in $Na^{127}IO_4$ 99
Structural data for
$AgAsS_2$ 171
$AgSbS_2$ 171
$AlBr_3$ 138
$AlCl_3$ 181
As_2S_3 169, 171
As_2Se_3 171
As_2Te_3 171
$BaBr_2 \cdot 2H_2O$ 176
$BaCl_2 \cdot 2H_2O$ 176
$BiCl_3$ 181
$BiNbO_4$ 188
BiOhal 182
$BiTaO_4$ 188
Bi_2S_3 170
$Bi_4Ge_3O_{12}$ 191
$Bi_4Si_3O_{12}$ 191
$Bi_4Ti_3O_{12}$ 191
$Bi_{12}GeO_{20}$ 191
$CdBr_2$ 180
CdI_2 180
$CrCl_3$ 181
$CsSbClF_3$ 165
$CsSbF_4$ 164
$CsSb_2F_7$ 164
$Cs_2Sb_2hal_9$ 144
$Cuhal_2$ 168
$CuSbS_2$ 171
$FeCl_3$ 181
$GaCl_3$ 138
$HfCl_4$ 165
HfI_4 165
$Hghal_2$ 168
ICl_3 138
InI_3 138
ionic compounds with V-shaped cations 90—91, 92
ionic tetrafluorohalide(V)polyfluoroantimonates(V) 92—93
KAl_2Br_7 139
$KHgI_3 \cdot H_2O$ 168
$KSbClF_3$ 163

Structural data for
$KSbF_4$ 165
KSb_2F_7 161
$(Me_4N)_3Ga_2Cl_9$ 147
Me_4NHgI_3 168
$MoCl_5$ 147
$NbBr_5$ 147, 151
$NbCl_5$ 147, 151
$NbCl_5 \cdot POCl_3$ 135
$PdCl_2$ 168
pentahalozincates(II) 81—82
periodates $Al^{VII}O_4$ 99
perrhenates $ARe^{VII}O_4$ 99
$PrBr_3$ 181
$PtCl_2$ 168
$ReCl_5$ 147
$SbNbO_4$ 188
$SbPO_4$ 188
$SbTaO_4$ 188
β-Sb_2O_4 186
α-Sb_2O_4 186
Sb_2S_3 171
Sb_2Se_3 171
$Sb_4O_5Cl_2$ 184
α-Sb_5O_7I 184
$SnBr_2 \cdot H_2O$ 177
Structural data for
$SrBr_2$ 176
$TiAsS_2$ 171
$TiCl_3$ 181
$TiCl_4 \cdot L$ 129
$TlBr_3$ 181
trichlorosulphonium(IV) tetrachloroaluminate(III), $SCl_3^+ \cdot AlCl_4^-$ 85—86
trichlorosulphonium(IV) tetrachloroiodate(III), $SCl_3^+ \cdot ICl_4^-$ 85—86
UI_3 181
α-$ZnCl_2$ 168
ZnI_2 168
$ZrCl_4$ 165
ZrI_4 165

Townes and Dailey approach, bonding model in terms of 30—32, 43—45
Transition metal hexachloroanions(IV), contributions to ^{35}Cl frequency temperature coefficient in 58—61

Width of NQR line 25

Zeeman experiments 16—22
Zero-splitting locus method 17—18

CONTENTS

Preface 7

List of symbols 8

Chapter 1 General aspects of NQR spectroscopy 9

A. Physical principles of NQR 10
B. Recording NQR spectra 22
C. Interpreting NQR spectra 28
D. Information supplied by NQR 36
(i) Structural aspects of NQR information 36
(ii) Aspects of bonding from NQR spectra 42

Chapter 2 Compounds with discrete structural units 52

A. Chemical bonding and structure of hexahalometallates of the type $R_2M^{IV}X_6$; cation influence on the EFG at the site of the halogen atom 52
B. Hexahalometallates of the types $RM^{V}X_6$ and $R_2M^{III}X_6$; structural trends; mixed-valence hexabromoantimonates 62
C. Crystal chemistry of square-planar and tetrahedral halometallates . . . 68
(i) Complexes with square-planar tetrahaloanions 68
(ii) Complexes with tetrahedral anions 73
D. Interactions between heteroatomic ion pairs 82
E. The origin of the EFG at the complex ion central atom 94
F. Donor—acceptor bonding and charge distribution in $GaCl_3 \cdot L$, $SnCl_4 \cdot 2L$ and $SbCl_5 \cdot L$ molecular adducts 101
G. Molecular adducts of metal halides other than $GaCl_3$, $SnCl_4$ and $SbCl_5$ . . 115
(i) Complexes of the type $M^{III}X_3 \cdot L$ (M^{III} = B, Al, In, As, Sb, Bi) . . . 115
(ii) Complexes of the type $M^{IV}X_4 \cdot nL$ (M^{IV} = Te, Ti, Zr, Hf) 125
(iii) Complexes of the type $MCl_5 \cdot L$ (M = Nb, Ta) 132

Chapter 3 Compounds with polymer fragments in crystal lattice 137

A. Chemically non-equivalent bonds in bridging dimeric compounds 138
(i) Bridging dimers of non-transition elements 138
(ii) Transition metal halides with dimeric units 147

B. Chain (ribbon) polymers 161
(i) Infinite chains formed by metal halides 161
(ii) Polymeric chalcogenides of Group V non-transition elements; ternary compounds 169
C. Compounds with layer structure 175
(i) Metal halides and oxyhalides with a "sandwich" lattice 176
(ii) Other layer oxyhalides of Group V elements 184
(iii) Layer oxides of Group V elements; double oxides and related compounds 186

Chapter 4 NQR applications to materials research 193

A. Impurities and mixed crystals 193
B. NQR in vitreous materials 197
C. NQR as method for physico-chemical analysis 200
D. After-effects in materials subject to the influence of extreme conditions . 202
E. NQR in thermodynamically unstable complexes 205
F. Potential applications of NQR to the geosciences 207
G. NQR study of intermetallic compounds 208
H. NQR pulse instrumentation and related echo phenomena 210

Concluding Remarks 213

References 214

Subject Index 232